ELSEVIER

European Journal of Pharmacology 313 (1996) 279–281

ejp

Author index

Aliev, G., see Ralevic, V. (313) 221
Antkiewicz-Michaluk, L., see Karolewicz, B. (313) 181
Antoine, M.-H., Ouedraogo, R., Sergooris, J., Hermann, M., Herchuelz, A. and Lebrun, P.
Hydroxylamine, a nitric oxide donor, inhibits insulin release and activates K^+_{ATP} channels (313) 229

Baldwin, B.A., see Wattanathorn, J. (313) 69
Bastide, B., see Hervé, J.-C. (313) 243
Beart, P.M., see Cheung, N.S. (313) 159
Beaugé, F., see Naassila, M. (313) 273
Beitner, R., see Glass-Marmor, L. (313) 265
Bellot, R.G., Camarini, R., Vital, M.A.B.F., Palermo-Neto, J., Leyton, V. and Frussa-Filho, R.
Monosialoganglioside attenuates the excitatory and behavioural sensitization effects of ethanol (313) 175
Blazicek, P., see Vietor, I. (313) 119
Bode, D.C., see De Garavilla, L. (313) 89
Boden, P.R., see Lee, K. (313) 163
Brann, M.R., see Bräuner-Osborne, H. (313) 145
Bräuner-Osborne, H., Ebert, B., Brann, M.R., Falch, E. and Krogsgaard-Larsen, P.
Functional partial agonism at cloned human muscarinic acetylcholine receptors (313) 145
Brown, R.E., see McGregor, I.S. (313) 43
Buccafusco, J.J., see Feldman, D.S. (313) 211
Buchholz, R.A., see De Garavilla, L. (313) 89
Burnstock, G., see Ralevic, V. (313) 221
Bustamante, D., see Gozariu, M. (313) 51

Cagnotto, A., Parotti, L. and Mennini, T.
In vitro affinity of piribedil for dopamine D_3 receptor subtypes, an autoradiographic study (313) 63
Cai, H., Yao, H., Ibayashi, S., Takaba, H. and Fujishima, M.
Amlodipine, a Ca^{2+} channel antagonist, modifies cerebral blood flow autoregulation in hypertensive rats (313) 103
Camarini, R., see Bellot, R.G. (313) 175
Casalotti, S.O., see Wattanathorn, J. (313) 69
Cheung, N.S., O'Callaghan, D., Ryan, M.C., Dutton, R., Wong, M.G. and Beart, P.M.
Structure-activity relationships of competitive NMDA receptor antagonists (313) 159
Choi, D.-S., see Kim, Y.-B. (313) 107
Ciabattoni, G., see Montuschi, P. (313) R1
Colleoni, M., see Costa, B. (313) 17
Cooper, S.J., see Higgs, S. (313) 1
Costa, B., Parolaro, D. and Colleoni, M.
Chronic cannabinoid, CP-55,940, administration alters biotransformation in the rat (313) 17
Cronier, L., see Hervé, J.-C. (313) 243
Currò, D., see Montuschi, P. (313) R1

Daoust, M., see Naassila, M. (313) 273
Dastur, F.N., see McGregor, I.S. (313) 43
De Garavilla, L., Pagani, E.D., Buchholz, R.A., Dundore, R., Bode, D.C., Volberg, M.L., Jackson, K.N., Pratt, P. and Silver, P.J.
Zaprinast, but not dipyridamole, reverses hemodynamic tolerance to nitroglycerin in vivo (313) 89
Délèze, J., see Hervé, J.-C. (313) 243
Dundore, R., see De Garavilla, L. (313) 89
Dutton, R., see Cheung, N.S. (313) 159

Ebert, B., see Bräuner-Osborne, H. (313) 145

Falch, E., see Bräuner-Osborne, H. (313) 145
Falcone, J., see Grider, J. (313) 115
Feldman, D.S., Terry Jr., A.V. and Buccafusco, J.J.
Spinal muscarinic cholinergic and nitric oxide systems in cardiovascular regulation (313) 211
Fredholm, B.B., see Zhang, Y. (313) 237
Frussa-Filho, R., see Bellot, R.G. (313) 175
Fujii, E., Irie, K., Uchida, Y., Tsukahara, F., Ohba, K.-i., Ogawa, A. and Muraki, T.
Tolerance to lipopolysaccharide-induced increase in vascular permeability in mouse skin (313) 129
Fujiki, H., Mori, T., Yoshida, K., Imaizumi, T. and Tominaga, M.
OPC-18790, a novel positive inotropic agent, has both arterial and venous vascular dilating actions in the dog (313) 191
Fujishima, M., see Cai, H. (313) 103
Fukasawa, H., see Hotta, N. (313) 201

Glass-Marmor, L., Morgenstern, H. and Beitner, R.
Calmodulin antagonists decrease glucose 1,6-bisphosphate, fructose 1,6-bisphosphate, ATP and viability of melanoma cells (313) 265
Govitrapong, P., see Wattanathorn, J. (313) 69
Gozariu, M., Bustamante, D., Le Bars, D. and Willer, J.-C.
Effects of clonidine on a C-fibre reflex in the rat (313) 51
Gray, A.M.
Effect of alprazolam on opiate withdrawal: a combined behavioural and microdialysis study (313) 73
Grider, J., Falcone, J., Kilpatrick, E., Ott, C. and Jackson, B.
Effect of luminal vasopressin on NaCl transport in the medullary thick ascending limb of the rat (313) 115

Hamada, Y., see Hotta, N. (313) 201
Han, B.-G., see Kim, Y.-B. (313) 107
Hara, T., see Hotta, N. (313) 201
Hatano, A., Tang, R., Walden, P.D. and Lepor, H.
The α-adrenoceptor antagonist properties of the enantiomers of doxazosin in the human prostate (313) 135
Hedqvist, P., see Zhang, Y. (313) 237
Herchuelz, A., see Antoine, M.-H. (313) 229
Hermann, M., see Antoine, M.-H. (313) 229
Hervé, J.-C., Pluciennik, F., Bastide, B., Cronier, L., Verrecchia, F., Malassiné, A., Joffre, M. and Délèze, J.
Contraceptive gossypol blocks cell-to-cell communication in human and rat cells (313) 243
Higgs, S. and Cooper, S.J.
Hyperphagia induced by direct administration of midazolam into the parabrachial nucleus of the rat (313) 1

Hotta, N., Koh, N., Sakakibara, F., Nakamura, J., Hamada, Y., Hara, T., Mori, K., Naruse, K., Fukasawa, H., Kakuta, H. and Sakamoto, N.
Nerve function and blood flow in Otsuka Long-Evans Tokushima Fatty rats with sucrose feeding: effect of an anticoagulant (313) 201
Hunter, L.W., Tyce, G.M. and Rorie, D.K.
Neuropeptide Y release and contractile properties: differences between canine veins and arteries (313) 79
Hur, G.-H., see Kim, Y.-B. (313) 107

Ibayashi, S., see Cai, H. (313) 103
Ibbotson, T., see Lee, K. (313) 163
Imaizumi, T., see Fujiki, H. (313) 191
Irie, K., see Fujii, E. (313) 129
Ishibashi, Y., see Tsuji, M. (313) 169
Ishine, T. and Lee, T.J.F.
Norepinephrine attenuates serotonin inhibition of pial venous tone (313) 97
Ito, S., see Tabo, M. (313) 151

Jackson, B., see Grider, J. (313) 115
Jackson, K.N., see De Garavilla, L. (313) 89
Joffre, M., see Hervé, J.-C. (313) 243

Kakuta, H., see Hotta, N. (313) 201
Kameyama, T., see Ukai, M. (313) 11
Kaneko, T., see Tanabe, M. (313) 187
Karolewicz, B., Antkiewicz-Michaluk, L., Michaluk, J. and Vetulani, J.
Different effects of chronic administration of haloperidol and pimozide on dopamine metabolism in the rat brain (313) 181
Kilpatrick, E., see Grider, J. (313) 115
Kim, Y.-B., Hur, G.-H., Choi, D.-S., Shin, S., Han, B.-G., Lee, Y.-S. and Sok, D.-E.
Effects of calmodulin antagonists and anesthetics on the skin lesions induced by 2-chloroethylethyl sulfide (313) 107
Kleven, M., Prinssen, E.P.M. and Koek, W.
Role of 5-HT_{1A} receptors in the ability of mixed 5-HT_{1A} receptor agonist/dopamine D_2 receptor antagonists to inhibit methylphenidate-induced behaviors in rats (313) 25
Kobayashi, T., see Ukai, M. (313) 11
Koek, W., see Kleven, M. (313) 25
Koh, N., see Hotta, N. (313) 201
Kotchabhakdi, N., see Wattanathorn, J. (313) 69
Krogsgaard-Larsen, P., see Bräuner-Osborne, H. (313) 145
Kulick, A., see Ruzycky, A.L. (313) 257
Kvetnansky, R., see Vietor, I. (313) 119

Lamarque, D. and Whittle, B.J.R.
Involvement of peroxynitrite in the lipid peroxidation induced by nitric oxide in rat gastric mucosa (313) R5
Le Bars, D., see Gozariu, M. (313) 51
Lebrun, P., see Antoine, M.-H. (313) 229
Lee, K., Ibbotson, T., Richardson, P.J. and Boden, P.R.
Inhibition of K_{ATP} channel activity by troglitazone in CRI-G1 insulin-secreting cells (313) 163
Lee, T.J.F., see Ishine, T. (313) 97
Lee, Y.-S., see Kim, Y.-B. (313) 107
Lepor, H., see Hatano, A. (313) 135
Leyton, V., see Bellot, R.G. (313) 175

Malassiné, A., see Hervé, J.-C. (313) 243
McGregor, I.S., Dastur, F.N., McLellan, R.A. and Brown, R.E.
Cannabinoid modulation of rat pup ultrasonic vocalizations (313) 43
McLellan, R.A., see McGregor, I.S. (313) 43
Mennini, T., see Cagnotto, A. (313) 63
Michaluk, J., see Karolewicz, B. (313) 181
Montuschi, P., Currò, D. and Ciabattoni, G.
Tachykinin NK_2 receptor antagonists decrease eicosanoid release in lung anaphylaxis (313) R1
Morel, E., see Sanger, D.J. (313) 35
Morgenstern, H., see Glass-Marmor, L. (313) 265
Mori, K., see Hotta, N. (313) 201
Mori, T., see Fujiki, H. (313) 191
Muraki, T., see Fujii, E. (313) 129

Naassila, M., Roux, F., Beaugé, F. and Daoust, M.
Ethanol potentiates lipopolysaccharide- or interleukin-1β-induced nitric oxide generation in RBE4 cells (313) 273
Nakagawa, Y., see Tsuji, M. (313) 169
Nakamura, J., see Hotta, N. (313) 201
Nakazato, Y., see Tabo, M. (313) 151
Naruse, K., see Hotta, N. (313) 201

O'Callaghan, D., see Cheung, N.S. (313) 159
Ogawa, A., see Fujii, E. (313) 129
Ohba, K.-i., see Fujii, E. (313) 129
Ohta, T., see Tabo, M. (313) 151
Ott, C., see Grider, J. (313) 115
Ouedraogo, R., see Antoine, M.-H. (313) 229

Pagani, E.D., see De Garavilla, L. (313) 89
Palermo-Neto, J., see Bellot, R.G. (313) 175
Parolaro, D., see Costa, B. (313) 17
Parotti, L., see Cagnotto, A. (313) 63
Perrault, G., see Sanger, D.J. (313) 35
Pluciennik, F., see Hervé, J.-C. (313) 243
Pratt, P., see De Garavilla, L. (313) 89
Prinssen, E.P.M., see Kleven, M. (313) 25

Ralevic, V., Aliev, G. and Burnstock, G.
Mesenteric and hepatic vascular reactivity in Donryu rats with and without a cholesterol-supplemented diet (313) 221
Raud, J., see Zhang, Y. (313) 237
Richardson, P.J., see Lee, K. (313) 163
Rorie, D.K., see Hunter, L.W. (313) 79
Roux, F., see Naassila, M. (313) 273
Rusnak, M., see Vietor, I. (313) 119
Ruzycky, A.L. and Kulick, A.
Estrogen increases the expression of uterine protein kinase C isozymes in a tissue specific manner (313) 257
Ryan, M.C., see Cheung, N.S. (313) 159

Sabban, E.L., see Vietor, I. (313) 119
Sakakibara, F., see Hotta, N. (313) 201
Sakamoto, N., see Hotta, N. (313) 201
Sanger, D.J., Morel, E. and Perrault, G.
Comparison of the pharmacological profiles of the hypnotic drugs, zaleplon and zolpidem (313) 35
Sergooris, J., see Antoine, M.-H. (313) 229
Shan-Wu, X., see Ukai, M. (313) 11
Shimada, M., see Tsuji, M. (313) 169
Shin, S., see Kim, Y.-B. (313) 107
Silver, P.J., see De Garavilla, L. (313) 89
Sok, D.-E., see Kim, Y.-B. (313) 107
Suzuki, T., see Tsuji, M. (313) 169

Tabo, M., Ohta, T., Ito, S. and Nakazato, Y.
Effects of external K^+ on depletion-induced Ca^{2+} entry in rat ileal smooth muscle (313) 151
Takaba, H., see Cai, H. (313) 103
Takashima, T., see Tsuji, M. (313) 169
Tanabe, M. and Kaneko, T.
Preferential enhancement of inhibitory synaptic transmission by CS-722 in the ventral horn neurons of neonatal rat spinal cord (313) 187
Tang, R., see Hatano, A. (313) 135
Terry Jr., A.V., see Feldman, D.S. (313) 211

Tominaga, M., see Fujiki, H. (313) 191
Tsuji, M., Nakagawa, Y., Ishibashi, Y., Yoshii, T., Takashima, T., Shimada, M. and Suzuki, T.
Activation of ventral tegmental $GABA_B$ receptors inhibits morphine-induced place preference in rats (313) 169
Tsukahara, F., see Fujii, E. (313) 129
Tyce, G.M., see Hunter, L.W. (313) 79

Uchida, Y., see Fujii, E. (313) 129
Ukai, M., Shan-Wu, X., Kobayashi, T. and Kameyama, T.
Systemic administration of dynorphin A-(1–13) markedly improves cycloheximide-induced amnesia in mice (313) 11

Verrecchia, F., see Hervé, J.-C. (313) 243
Vetulani, J., see Karolewicz, B. (313) 181
Vietor, I., Rusnak, M., Viskupic, E., Blazicek, P., Sabban, E.L. and Kvetnansky, R.
Glucoprivation by insulin leads to trans-synaptic increase in rat adrenal tyrosine hydroxylase mRNA levels (313) 119
Viskupic, E., see Vietor, I. (313) 119
Vital, M.A.B.F., see Bellot, R.G. (313) 175
Volberg, M.L., see De Garavilla, L. (313) 89

Walden, P.D., see Hatano, A. (313) 135
Wattanathorn, J., Kotchabhakdi, N., Casalotti, S.O., Baldwin, B.A. and Govitrapong, P.
Ethanol alone or with dexamethasone alters the kinetics of choline acetyltransferase (313) 69
Whittle, B.J.R., see Lamarque, D. (313) R5
Willer, J.-C., see Gozariu, M. (313) 51
Wong, M.G., see Cheung, N.S. (313) 159

Yao, H., see Cai, H. (313) 103
Yoshida, K., see Fujiki, H. (313) 191
Yoshii, T., see Tsuji, M. (313) 169

Zhang, Y., Raud, J., Hedqvist, P. and Fredholm, B.B.
Propentofylline inhibits polymorphonuclear leukocyte recruitment in vivo by a mechanism involving adenosine A_{2A} receptors (313) 237